

AMENDMENTS TO THE CLAIMS

Please amend claims 1-16 and 18-22, cancel claims 17 and 23, and add claims 24-26 as follows:

{e1}

1. (Currently Amended) A network video camera mounting system comprising:

~~A a low profile camera housing defining an opening and comprising an adjustable video sensor assembly, wherein said video sensor assembly receives images through the opening and is adapted for making the received images available through a network interface; and further comprises an image sensor and a network camera lens, wherein said video sensor assembly allows the viewing angle of said image sensor to be changed by a adjustment method selected from the group consisting of manually, mechanically or electronically~~

~~B, a mounting assembly attached to the low profile camera housing and adapted for flush mounting the opening in direct contact with a transparent medium.~~

~~C, a network interface which transmits images from said image sensor;~~

~~D, a low profile housing which further comprises said adjustable video sensor assembly; and~~

~~E, wherein said mounting assembly is attached to said low profile housing and wherein said mounting assembly performs the function of flush mounting.~~

{e2}

2. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim 1, ~~wherein said low profile housing further comprises a mounting point and wherein~~ said mounting assembly is connected to ~~said~~ a mounting point located on the low profile housing.

{e3}

3. (Currently Amended) [[A]] The network video camera mounting system as recited in claim 2, wherein said mounting point connects to said mounting assembly with a connector selected from the group consisting of threads, screws, snaps, rivets, plugs, Velcro, connectors, spring material, compression material, and pins.

{e4}

4. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim 2, wherein said mounting point is selected from the group consisting of a front mounting point, a side mounting point, a top mounting point, a bottom mounting point, a bottom rear mounting point, a rear mounting point and a clip-on attachment point.

{e5}

5. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim 4, wherein said mounting assembly is selected from the group consisting of a suction cup mounting assembly, a multi-purpose suction cup mounting assembly, a multi-purpose flat mounting assembly, a clip-on suction cup mounting assembly and a bracket mounting assembly.

[e6]

6. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim 1, wherein said adjustable video sensor assembly is remotely adjustable.

[e7]

7. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim 1, wherein said video sensor assembly is electronically remotely adjustable via sensor resolution and wide angle optics.

[e8]

8. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim 1, wherein images from said ~~image~~ video sensor assembly can be ~~seen~~ viewed remotely over a network.

[e9]

9. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim 8, wherein said network is a network selected from the group consisting of a power line network, a wireless network, an acoustic network, a wired network, the Internet, a Local Area Network, a Wide Area Network, and an optic network.

[e10]

10. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim 1, wherein said housing is weatherproof.

{e11}

11. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim [[1]] 14, wherein said image sensor is powered from a power source selected from the group consisting of solar power, battery power, AC power, and DC power.

{e12}

12. (Currently Amended) [[A]] The network video camera mounting system, as recited in claim 1, wherein a back cover is connected to the rear of said housing.

{e13}

13. (Currently Amended) [[A]] The network video camera mounting system as recited in claim [[1]], wherein the back cover contains a mounting point that connects to the mounting assembly, a flush mounting back cover is connected to the rear of said housing.

{e14}

14. (Currently Amended) [[A]] The network video camera mounting system as recited in claim 1, wherein said adjustable video sensor assembly further comprises a network camera lens and an image sensor.

{e15}

15. (Currently Amended) [[A]] The network video camera mounting system as recited in claim 1, wherein the low profile housing further comprises a glare shield, the glare shield circumscribed by the opening, and wherein the mounting assembly is adapted for flush mounting the glare shield in direct contact with a transparent medium, -said image sensor- views images through a glare shield that is flush with a surface selected from the group consisting of a window and a transparent medium.

{e16}

16. (Currently Amended) [[A]] The network video camera mounting system as recited in claim 1, wherein said image sensor views images through a the transparent medium is a window.

{e17}

17. (Canceled).

{e18}

18. (Currently Amended) [[A]] The network video camera mounting system as recited in claim [[1]] 25 wherein said network interface is connected to a device selected from the group consisting of a bridge, a hub, a switch, a router, a gateway, and a power adapter.

{e19}

19. (Currently Amended) [[A]] The network video camera mounting system as recited in claim [[1]] 25 wherein said network interface is connected to a network device wherein said network device converts from one protocol to another protocol.

[e20]

20. (Currently Amended) [[A]] The network video camera mounting system as recited in claim [[1]] 25 wherein said network ~~device~~ interface is provided by a device selected from the group consisting of a hub, a router, a bridge, a gateway, a power line adapter, an antenna, and a switch.

[e21]

21. (Currently Amended) [[A]] The network video camera mounting system as recited in claim [[1]] 25 wherein said network interface further comprises a bandwidth allocation system.

[e22]

22. (Currently Amended) [[A]] The network video camera mounting system as recited in claim 1 ~~wherein said network camera stores images in~~ wherein the low profile camera housing further comprises a storage device for storing images received by the video sensor assembly.

[e23]

23. (Canceled).

24. (New) The network video camera mounting system of claim 14, wherein the video sensor assembly allows the viewing angle of said image sensor to be changed by an adjustment method selected from the group consisting of manually, mechanically or electronically.

25. (New) The network video camera mounting system of claim 1, further comprising a network interface which transmits images from said video sensor assembly.

26. (New) A network video camera mounting system comprising:

a low profile camera housing comprising an adjustable video sensor assembly and a glare shield, the glare shield circumscribed by an opening on the housing, wherein the video sensor assembly further comprises a network camera lens and an image sensor, and wherein the video sensor assembly receives images through the opening;

a network interface which transmits images from the video sensor assembly; and

a mounting assembly attached to the low profile camera housing and adapted for flush mounting the glare shield in direct contact with a transparent medium.